



Articulating Video Boroscope



Description

This 5 inch High Definition Industrial Endoscope inspection camera's main camera is built for a wider field of view. Focal length at 20-100cm for Smooth, Clear, Static, Dynamic pictures & Sharpest images Quality. Our endoscope is Highly Durable with wear Resistant Metal Camera Tube. The semi-rigid cable of 6.35mm camera easily passes through areas & Along with IP67 Rating (Waterproof) and 2-way bending (Articulating) makes any viewing angle possible.

This cable can hold its shape well and the design allows the camera to operate 3.28ft (1 metre) underwater along with a Lithium battery that can work & last for 3 to 4 hours. Hand held integration design, portable to carry, beautiful appearance & also easy to use make this Product Sturdy & Preferable choice for Users.



Features

- 3000 mAh Lithium battery can last for 3 to 4 hours
- Two way bending & Steering Angle of 210° any viewing angle is possible
- Intelligent snapping & recording, the detection of data records in time
- It can support 64GB SD Card(max), Standard: 16 GB
- 5" LCD Monitor can offer smooth real, clear, static and dynamic pictures
- It can be used in the environment of narrow curved space & corrosion where Human's can't reach
- Hand held integration design, portable to carry, beautiful appearance, easy to use

KAVB-3000

Applications

- Industrial inspection
- Mechanical inspection
- Internal component inspection

Uses

- To inspect internal and hard-to-reach areas
- To capture images and videos for analysis


Technical Specifications

Parameter	Specification
Product Name	Articulating Video Boroscope
Model	KAVB-3000
Make/Brand	KLABS
Monitor Size	5 Inches
Sensor (CCD/CMOS) size	1/16 inch
Resolution	200 Million
Dia of Camera	6.35mm (6 LED'S)
Probe length	1 Meter (3.28ft)
Material of Probe	High Temperature With Smart Protection Semi-Rigid
Material of Camera	Wear Resistant Metal Camera Tube
Depth of field	20mm -- 100mm
Viewing Angle	70°
Tip articulation	2 - way Articulated
Steering Angle	Upto 210°
Bending Radius	35 mm
SD Card capacity	16 GB (standard), Max is 64GB
Waterproof standard	IP67
Battery Type	3000 mAh Lithium battery (3-4 Working Hours)

5-INCH LARGE SCREEN



Million HD
Endoscope



5.0 inches
HD large screen



can take pictures
Recordable

